

TUNTEX Sales Headquarter
 3rd Floor, Building One, HongQiao ZhengRong Center,
 666 Shen Hong Road, MinHang District, ShangHai 201106, China
 TEL: +86 400 663 8886 +86 21 62333488
 FAX: +86 21 62596265
 Email: sales@tuntexcommercial.com

TUNTEX Commercial UK Ltd
 (Europe, Middle East, Africa and India)
 Yoxall Lodge, Scotch Hill Road, Newchurch, Burton on Trent,
 DE13 8RL, UK
 TEL: +44 1283 575564
 Email: mike@tuntexcommercial.com

Guangzhou Office
 Room 2102-2103, Full Yingxin Bldg, No.28, Huaxia Rd,
 Zhujiang New Town, Tianhe District, Guangzhou
 TEL: +86 20 38398018
 FAX: +86 20 38398559

Beijing Office
 Suite 1607, Tower B, Winterless Center, No.1,
 West DaWang Road, Chaoyang District, Beijing, China
 TEL: +86 10 85800852 +86 10 85800851
 FAX: +86 10 85800701


Hong Kong Office
 Room 2306, Billion Trade Centre, 31 Hung To Road,
 Kwan Tong, Kowloon, Hong Kong
 TEL: +852 28580353
 FAX: +852 28580733

Tuntex Japan Co., Ltd
 3-16-10, Yushima, Bunkyo-ku,
 Tokyo, 113-0034, Japan
 TEL: +81 3 38345148
 Email: dm@tuntex-carpet.com





FASHIONABLE
ENVIRONMENTALLY FRIENDLY

Renaissance of Art Collections  SQUARE

- 07 T700G Bird's-eye on Metro
- 09 T701G Amazon Linkage
- 11 T702G a Glance of Retro
- 13 T703G Lace of Provence
- 15 T706G Crossing in Time
- 17 T707G Space Cloud
- 19 T708G Color Dew
- 21 T709G Flagstone
- 25 T710G Base
- 27 T711G Bamboo
- 29 T712G Blossom
- 31 T796G Natural Matting
- 33 T797G Aqua Code
- 35 T798G Splish Splash
- 37 T799G Cliff Art
- 39 T639G Luxury Footprint

@concep Collections  SQUARE

- 57 T630G Charisma
- 59 T631G Entwine
- 61 T658G Block & Bead
- 63 T659G Balletic
- 65 T859G Melrose Ave.
- 67 T865G Over the Rainbow
- 71 T866G Cheer-up
- 73 T867G Visual Art
- 75 T868G Oriental Express
- 79 T869G Cloud Nine
- 81 T870G Cubical Vol.2
- 83 T875G Natural Connection
- 85 T876G Herringbone
- 87 T877G Fontainebleau

@concep Collections  PLANK

- 43 T800G Boardwalk
- 45 T801G Color Zip
- 47 T802G Luminous
- 49 T806G Track 25
- 51 T808G Tassels
- 53 T809G Color Stroke

Classic Collections  SQUARE

- 91 T101 Mineral
- 93 T101+ Mineral Plus
- 95 T106 Light Chaser
- 97 T108 ReGenerate
- 99 T600 On-track
- 101 T6009 On-track Color
- 103 T602 Grapevine
- 105 T603 Sunset Boulevard
- 107 T605 Vision
- 109 T606 Illusion
- 111 T608 Urban Forest
- 113 T609 Twill
- 115 T613 Birdie

- 117 T616 Fast Lane
- 119 T617 Criss-cross
- 121 T620 Vane
- 123 T636 Dust Off
- 125 T638 Ground Builder
- 127 T650 Prologue in Graphic
- 129 T651 Plots
- 131 T652 The Globe
- 133 T653 Suburb
- 135 T655 Pigment
- 137 T656 Inherited
- 139 T660 Classic Track
- 141 T661 Track Line
















CONTENTS

- 143 T665 Granite
- 145 T858 Meteor Dr.
- 147 T860 Checkmate
- 149 T862 Destination
- 151 T872 Summer Breeze
- 153 T878 Cascade
- 155 T885 Edd Tide
- 157 T917 WillowWeave
- 159 TA1204 Line Up
- 161 TA1206 Highlights
- 163 TA1207 Fragment







 NYLON 6
 NYLON 6,6
 RECYCLED BACKING

CONTENTS

Renaissance of Art Collections

| | | |
|---|---|--|
|  Luxury Footprint T639G P 38 |  Bird's-eye on Metro T700G P 07 |  Amazon Linkage T701G P 09 |
|  a Glance of Retro T702G P 11 |  Lace of Provence T703G P 13 |  Crossing in Time T706G P 15 |
|  Space Cloud T707G P 17 |  Color Dew T708G P 19 |  Flagstone T709G P 21 |
|  Base T710G P 25 |  Bamboo T711G P 27 |  Blossom T712G P 29 |
|  Natural Matting T796G P 31 |  Aqua Code T797G P 33 |  Splish Splash T798G P 35 |
|  Cliff Art T799G P 37 | | |

@concep Collections

| | | | | | |
|---|--|--|--|---|--|
|  Boardwalk T800G P 43 |  Color Zip T801G P 45 |  Luminous T802G P 47 |  Track 25 T806G P 49 |  Tassels T808G P 51 |  Color Stroke T809G P 53 |
|---|--|--|--|---|--|

@concep Collections

| | | | |
|--|---|---|--|
|  Charisma T630G P 57 |  Entwine T631G P 59 |  Block & Bead T658G P 61 |  Balletic T659G P 63 |
|  Melrose Ave. T859G P 65 |  Over the Rainbow T865G P 67 |  Cheer-up T866G P 71 |  Visual Art T867G P 73 |
|  Oriental Express T868G P 75 |  Cloud Nine T869G P 79 |  Cubical Vol.2 T870G P 81 |  Natural Connection T875G P 83 |
|  Herringbone T876G P 85 |  Fontainebleau T877G P 87 | | |

Classic Collections

| | | | | | | | |
|---|---|--|--|--|---|---|--|
|  Mineral T101 P 91 |  Mineral Plus T101+ P 93 |  Light Chaser T106 P 95 |  ReGenerate T108 P 97 |  On-track T600 P 99 |  On-track Color T6009 P 101 |  Grapevine T602 P 103 |  Sunset Boulevard T603 P 105 |
|  Vision T605 P 107 |  Illusion T606 P 109 |  Urban Forest T608 P 111 |  Twill T609 P 113 |  Birdie T613 P 115 |  Fast Lane T616 P 117 |  Criss-cross T617 P 119 |  Vane T620 P 121 |
|  Dust Off T636 P 125 |  Ground Builder T638 P 125 |  Prologue in Graphic T650 P 127 |  Plots T651 P 129 |  The Globe T662 P 131 |  Suburb T663 P 133 |  Pigment T665 P 135 |  Inherited T666 P 137 |
|  Classic Track T660 P 139 |  Track Line T661 P 141 |  Granite T665 P 143 |  Meteor Dr. T658 P 145 |  Checkmate T660 P 147 |  Destination T662 P 149 |  Summer Breeze T672 P 151 |  Cascade T676 P 153 |
|  Edd Tide T885 P 155 |  WillowWeave T917 P 157 |  Line Up TA1204 P 159 |  Highlights TA1206 P 161 |  Fragment TA1207 P 163 | | | |

Built on world class carpet manufacturing technologies and aesthetic, we are excited to introduce
Renaissance of Art — a new Collections of premium carpets with sophisticated design and superior quality.

Renaissance of Art

Collections

Revolution
of tufting
and
coloring.



T7004G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

 **T700G**

Bird's-eye on Metro



 Colourways



T7001G / Mist



T7002G / Landmark



T7003G / Urban Jungle



T7004G / Corner



T7005G / Night Shadow



T7006G / Watertown




T7007G / Métro de Paris



T7008G / Forbidden City

- Product Name :** T700G Bird's-eye on Metro
- Face Yarn :** nexon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
- Dye Method :** Solution Dyed
- Construction :** Multi Hi / Lo Loop
- Pile Height :** 5.5 - 3.5 mm
- Tile Size :** 500 mm x 500 mm
- Electrostatic Propensity :** ≤3.5 KV (GB/T 18044-2006)
- Standard Backing :** RECYCLED TUNTEX Commercial Duraback
- Foot Traffic :** Heavy
- Stain Resistance :** Stainshield Treatment : **stainShield**
- Soil Resistance :** Soil Guard Treatment : **SOIL #GUARD**
- Odor Reducer :** Ecofresh Treatment : **ecoFRESH**
- Anti-microbial :** Microshield Treatment : **MICRO SHIELD**




Quarter-Turn Ashlar Brick




T701G Amazon Linkage

Colourways



Product Name : T701G Amazon Linkage
Face Yarn : nexon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Multi Hi / Lo Loop
Pile Height : 5.0 ~ 3.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : Stainshield Treatment : **stainShield**
Soil Resistance : Soil Guard Treatment : **SOIL #GUARD**
Odor Reducer : Ecofresh Treatment : **ecoFRESH**
Anti-microbial : Microshield Treatment : **MicroShield**






T702G a Glance of Retro

Colourways



Product Name : T702G a Glance of Retro
Face Yarn : nexon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Multi Hi / Lo Loop
Pile Height : 5.5 - 3.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : Stainshield Treatment : **stainShield**
Soil Resistance : Soil Guard Treatment : **SOIL #GUARD**
Odor Reducer : Ecofresh Treatment : **ecoFRESH**
Anti-microbial : Microshield Treatment: **MicroShield**





T7031G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

 **T703G**

Lace of Provence




Renaissance of Art

Colourways



T7031G / Golden Rice T7032G / Dandelion T7033G / Sunflower
 T7034G / Leaves of Autumn T7035G / Rhone T7036G / Vineyard

- Product Name :** T703G Lace of Provence
- Face Yarn :** nexon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
- Dye Method :** Solution Dyed
- Construction :** Multi Hi / Lo Loop
- Pile Height :** 5.5 - 3.0 mm
- Tile Size :** 500 mm x 500 mm
- Electrostatic Propensity :** ≤3.5 KV (GB/T 18044-2008)
- Standard Backing :** RECYCLED TUNTEX Commercial Duraback
- Foot Traffic :** Heavy
- Stain Resistance :** Stainshield Treatment : **stainShield**
- Soil Resistance :** Soil Guard Treatment : **SOIL #GUARD**
- Odor Reducer :** Ecofresh Treatment : **ecoFRESH**
- Anti-microbial :** Microshield Treatment: **MicroShield**





T7064G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T706G Crossing in Time

Colourways



T7061G / Singularity



T7062G / Dejavu



T7063G / Wormhole



T7064G / Speed of Light



T7065G / Afterglow



T7066G / Space Five



T7067G / Butterfly Effect



Product Name : T706G Crossing in Time

Face Yarn : nexon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : Multi Hi / Lo Loop

Pile Height : 5.5 - 4.0 mm

Tile Size : 500 mm x 500 mm

Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)

Standard Backing : RECYCLED TUNTEX Commercial Duraback


Foot Traffic : Heavy

Stain Resistance : Stainshield Treatment : **stainShield**

Soil Resistance : Soil Guard Treatment : **SOIL #GUARD**

Odor Reducer : Ecofresh Treatment : **ecoFRESH**

Anti-microbial : Microshield Treatment : **MicroShield**



Quarter-Turn Ashlar Brick



 **T707G**
Space Cloud



 Colourways




T7071G / Saturn



T7072G / Tornado



T7073G / Jupiter



T7074G / Lime Halo



T7075G / Mars




T7076G / Venus



T7077G / Aurora

Product Name : T707G Space Cloud
Face Yarn : nexon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Multi Hi / Lo Loop
Pile Height : 5.0 ~ 3.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : Stainshield Treatment : **stainShield**
Soil Resistance : Soil Guard Treatment : **SOIL #GUARD**
Odor Reducer : Ecofresh Treatment : **ecoFRESH**
Anti-microbial : Microshield Treatment : **MicroShield**



Quarter-Turn Ashlar Brick



T708G Color Dew

Colourways

• Containing nexlon™ Quartz Yarn



T7081G / Chocolate



T7082G / Crystal



T7083G / Espresso



T7084G / Green Apple




T7085G / Blaze Orange



T7086G / Smokey

- Product Name :** T708G Color Dew
- Face Yarn :** nexlon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
- Dye Method :** Solution Dyed
- Construction :** Multi Hi / Lo Loop
- Pile Height :** 5.0 ~ 3.0 mm
- Tile Size :** 500 mm x 500 mm
- Electrostatic Propensity :** ≤3.5 KV (GB/T 18044-2008)
- Standard Backing :** RECYCLED TUNTEX Commercial Duraback
- Foot Traffic :** Heavy
- Stain Resistance :** Stainshield Treatment : **stainShield**
- Soil Resistance :** Soil Guard Treatment : **SOIL #GUARD**
- Odor Reducer :** Ecofresh Treatment : **ecoFRESH**
- Anti-microbial :** Microshield Treatment : **MicroShield**




Quarter-Turn Ashlar Brick





T709G Flagstone

Colourways



Product Name : T709G Flagstone
Face Yarn : nexon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Multi Hi / Lo Loop
Pile Height : 6.5 - 3.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : RECYCLD TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : Stainshield Treatment : **stainShield**
Soil Resistance : Soil Guard Treatment : **SOIL #GUARD**
Odor Reducer : Ecofresh Treatment : **ecoFRESH**
Anti-microbial : Microshield Treatment : **MicroShield**





T7102G+T711X21G+T711Y21G
+T712X21G+T712Y21G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

Decorations of The Collections



T710G Base

Colourways

T710G is complementary to T711G/T712G series.



T7101G / Luscious



T7102G / Fragrance




T7103G / Cognac



T7104G / Flourish



Product Name : T710G Base
Face Yarn : nexon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Multi Hi / Lo Loop
Pile Height : 6.0 – 4.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : Stainshield Treatment : **stainShield**
Soil Resistance : Soil Guard Treatment : **SOIL #GUARD**
Odor Reducer : Ecofresh Treatment : **ecoFRESH**
Anti-microbial : Microshield Treatment : **MICRO SHIELD**



Quarter-Turn Ashlar Brick




T711G Bamboo

Colourways

* T711G is complementary to T710G series.

| | | | |
|--|--|---|---|
| | | | |
| T711X14G / Luscious ● full pattern | T711Y14G / Luscious ● half pattern | T711X16G / Petal ● full pattern | T711Y16G / Petal ● half pattern |
| | | | |
| T711X21G / Green Fragrance ● full pattern | T711Y21G / Green Fragrance ● half pattern | T711X32G / Cream Cognac ● full pattern | T711Y32G / Cream Cognac ● half pattern |
| | | | |
| T711X33G / Orange Cognac ● full pattern | T711Y33G / Orange Cognac ● half pattern | T711X45G / Flourish ● full pattern | T711Y45G / Flourish ● half pattern |

Product Name : T711G Bamboo
Face Yarn : nexlon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Multi Hi/Lo Loop
Pile Height : 6.0-4.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : StainShield Treatment : **stainShield**
Soil Resistance : Soil Guard Treatment : **SOIL GUARD**
Odor Reducer : Ecofresh Treatment : **ecofresh**
Anti-microbial : Microshield Treatment : **Microshield**



T7104G+T711X45G+T711Y45G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.




T712X21G+T712Y21G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.


T712G Blossom

Colourways

T712G is complementary to T710G series.



Product Name : T712G Blossom
Face Yarn : nexlon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Multi Hi / Lo Loop
Pile Height : 6.0 ~ 4.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : StainShield Treatment : **stainShield**
Soil Resistance : Soil Guard Treatment : **SOIL GUARD**
Odor Reducer : Ecofresh Treatment : **ecofresh™**
Anti-microbial : Microshield Treatment : **MicroShield™**






T7961G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T796G Natural Matting




Renaissance of Art

Colourways



Product Name : T796G Natural Matting
Face Yarn : Antron® Lumena™ Solution Dyed Type 6,6 Nylon
Dye Method : Solution Dyed
Construction : Multi Hi / Lo Loop
Pile Height : 5.5 – 3.5 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 kV (GB/T 18044-2006)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : DuraTech® soil resistance treatment
Odor Reducer : Ecofresh Treatment :  **Anti-microbial :** Microshield Treatment: 






T7973G


The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T797G Aqua Code

Colourways



Product Name : T797G Aqua Code
Face Yarn : Antron® Lumena™ Solution Dyed Type 6,6 Nylon
Dye Method : Solution Dyed
Construction : Multi Hi / Lo Loop
Pile Height : 5.5 – 3.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 kV (GB/T 18044-2006)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : DuraTech® soil resistance treatment
Odor Reducer : Ecofresh Treatment : **ecofresh™**
Anti-microbial : Microshield Treatment: **MICRO SHIELD™**





T7985G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T798G Splish Splash



Colourways



T7981G / Banana Mud



T7982G / Taupe



T7983G / Slate



T7984G / Blurry




T7985G / Trace



T7986G / Plum



T7987G / Dark Knight



Quarter-Turn Ashlar Brick

Product Name : T798G Splish Splash
Face Yarn : Antron® Lumena™ Solution Dyed Type 6,6 Nylon
Dye Method : Solution Dyed
Construction : Multi Hi / Lo Loop
Pile Height : 5.5 – 3.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : DuraTech® soil resistance treatment
Odor Reducer : Ecofresh Treatment : 
Anti-microbial : Microshield Treatment: 



T799G
Cliff Art



Colourways



T7991G / Steep



T7992G / Erode



T7993G / Wash Out



T7994G / Scar



T7995G / Hills



T7996G / Turbulent



T7997G / Motley

Product Name : T799G Cliff Art
Face Yarn : Antron® Lumena™ Solution Dyed Type 6,6 Nylon
Dye Method : Solution Dyed
Construction : Multi Hi / Lo Loop
Pile Height : 5.5 – 3.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : DuraTech® soil resistance treatment
Odor Reducer : Ecofresh Treatment : **ecofresh™**
Anti-microbial : Microshield Treatment: **MicroShield™**




Quarter-Turn Ashlar Brick



T639G Luxury Footprint

Colourways

Images below are enlarged and represent a section of a full tile only.



Product Name : T639G Luxury Footprint
Face Yarn : nexon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Level cut pile
Pile Height : 13 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Moderate
Stain Resistance : Stainshield Treatment : **stainShield**
Soil Resistance : Soil Guard Treatment : **SOIL #GUARD**
Odor Reducer : Ecofresh Treatment : **ecoFRESH**
Anti-microbial : Microshield Treatment : **MicroShield**

T6391G+T6392G+T6393G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

econcept Collections



Exquisite and
Esthetic size
next to
square.



T800G Boardwalk

Colourways



T8001G / Rock



T8002G / Washgold



T8003G / Olive



T8004G / Tawny



T8005G / Pottery



concept **boards**

Style : T800G Boardwalk

Pile Fibre : nexlon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : Hi / Mid / Lo Loop

Pile Height : 6.0 / 4.0 / 3.0 mm

Tile Size : 250 mm x 1000 mm

Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)

Standard Backing : RECYCLED TUNTEX Commercial Duraback

Foot Traffic : Heavy

Stain Resistance : StainShield Treatment: **stainShield**

Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Herringbone

Ashlar



T80101G / T80105G / T80107G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T801G Color Zip

Colourways

• Images below represent part of a full pattern repeat only.



T80101G / Cloud



T80104G / Powder



T80102G / Coin



T80105G / Anchor



T80103G / Ash



T80106G / Charcoal



T80107G / Fossil Colored



T80109G / Lead Colored



T80108G / Slate Colored



T80110G / Shadow Colored



concept **floor**

Style : T801G Color Zip

Pile Fibre : nexlon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : Multi Hi / Lo Loop

Pile Height : 6.0 ~ 3.0 mm

Tile Size : 250 mm x 1000 mm

Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2006)

Standard Backing : RECYCLED TUNTEX Commercial Dursback

Foot Traffic : Heavy

Stain Resistance : StainShield Treatment: **stainShield**

Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Herringbone

Ashlar

concept **Collection**

44/45



T802G Luminous

Colourways



T8021G / Platinum



T8022G / Gold



T8023G / Orange



T8024G / Emerald



T8025G / Aegean



T8026G / Ruby



Style : T802G Luminous

Pile Fibre : nexon™ Standard + Circular Premium Solution Dyed Nylon with RECYCLED Content, Stain and Soil Resist Technology

Dye Method : Solution Dyed

Construction : Hi / Mid / Lo Loop

Pile Height : 5.0 / 4.5 / 3.0 mm

Tile Size : 250 mm x 1000 mm

Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)

Standard Backing : RECYCLED TUNTEX Commercial Duraback

Foot Traffic : Heavy

Stain Resistance : StainShield Treatment: **stainShield**

Soil Resistance : Soil Guard Treatment: **SOIL GUARD**




Herringbone

Ashlar



T806G Track 25

Colourways

| | |
|---|---|
|  |  |
| T8061G / Cloud | |
|  |  |
| T8062G / Coin | |
|  |  |
| T8063G / Dove | |
|  |  |
| T8064G / Granite | |
|  |  |
| T8065G / Lead | |
|  |  |
| T8066G / Charcoal | |
|  |  |
| T8067G / Black | <p>▲ Tiles T806G Track 25 containing a random mixture of base colour tiles with some tiles with the brighter colour accent like 666</p> |

Style : T806G Track 25

Pile Fibre : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : Hi / Lo Loop

Pile Height : 4.0 / 3.5 mm

Tile Size : 250 mm x 1000 mm

Electrostatic : ≤3.5 KV (GB/T 18044-2006)

Standard Backing : RECYCLED TUNTEX Commercial Duraback

Foot Traffic : Heavy

Stain Resistance : Stainshield Treatment: **stainShield**

Soil Resistance : Soil Guard Treatment: **SOIL #GUARD**



Herringbone

Ashlar



T808G Tassels

Colourways



T80802G / Dove



T80813G / Marble



T80811G / Umber



T80803G / Ash



T80814G / Tortilla



T80820G / Black Gold



T80804G / Magnet



T80815G / Taupe



T80821G / Emerald



T80805G / Smokey



T80817G / Flaxen



T80809G / Turquoise



T80806G / Charcoal



T80818G / Tawny



T80810G / Peacock



T80807G / Lead



T80808G / Pewter



T80823G / Denim

Style : T808G Tassels

Pile Fibre : nexlon™ Standard + Circular Premium Solution Dyed Nylon
with RECYCLED Content, Stain and Soil Resist Technology.

Dye Method : Solution Dyed

Construction : Hi / Mid / Lo Loop

Pile Height : 5.0 / 4.5 / 3.0 mm

Tile Size : 250 mm x 1000 mm

Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)

Standard Backing : RECYCLED TUNTEX Commercial Duraback

Foot Traffic : Heavy

Stain Resistance : Stainshield Treatment: *stainShield*

Soil Resistance : Soil Guard Treatment: *SOIL GUARD*



Herringbone

Ashlar

T809G Color Stroke



Colourways



T80910G / Anchor



T80920G / Pebble



T80930G / Shadow



T80911G / Lime



T80921G / Platinum



T80931G / Violet



T80912G / Sky



T80922G / Gold



T80932G / Aegean



T80923G / Copper



T80933G / Ruby

Style : T809G Color Stroke

Pile Fibre : nexlon™ Standard + Circular Premium Solution Dyed Nylon
with RECYCLED Content, Stain and Soil Resist Technology

Dye Method : Solution Dyed

Construction : Hi / Mid / Lo Loop

Pile Height : 5.0 / 4.5 / 3.0 mm

Tile Size : 250 mm x 1000 mm

Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)

Standard Backing : RECYCLED TUNTEX Commercial DuraBACK

Foot Traffic : Heavy

Stain Resistance : StainShield Treatment: **stainShield**


Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Herringbone

Ashlar

Put magnificent texture and classical art breath together, pay more attention to specific quality and pursue the model of great elegance.



@concept^t Collections



STYLISH
Environmentally
Friendly
Carpet Tile




T630G Charisma

Colourways



Product Name : T630G Charisma
Face Yarn : nexlon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Hi / Lo Loop
Pile Height : 5.0 / 3.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : StainShield Treatment: *stainShield*
Soil Resistance : Soil Guard Treatment: *SOIL GUARD*





T631G Entwine

Colourways



T6311G / Fawn



T6312G / Teal



T6313G / Olive



T6314G / Hazel



T6315G / Black Gold



T6316G / Charcoal



T6317G / Navy



T6318G / Wine



Quarter-Turn Ashlar Brick

Product Name : T631G Entwine

Face Yarn : nexlon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : Hi / Lo Loop

Pile Height : 5.0 / 3.0 mm

Tile Size : 500 mm x 500 mm

Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)

Standard Backing : RECYCLED TUNTEX Commercial Duraback

Foot Traffic : Heavy

Stain Resistance : Stainshield Treatment: **stainShield**

Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



T658G Block & Bead

Colourways



T6581G / Beige



T6582G / Greige



T6583G / Coin




T6584G / Camel




T6585G / Fossil



T6586G / Slate



T6587G / Charcoal



T6588G / Navy



Product Name : T658G Block & Bead

Face Yarn : nexlon™ Standard + Prisma Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : Hi / Mid / Lo Loop with Tip-Shear Finish

Pile Height : 7.0 / 5.0 / 3.0 mm

Tile Size : 500 mm x 500 mm

Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)

Standard Backing : RECYCLED TUNTEX Commercial DuraBACK

Foot Traffic : Moderate

Stain Resistance : StainShield Treatment: **stainShield**

Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Quarter-Turn Ashlar Brick



T6593G-T6590G-T6596G-T6598G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T659G Balletic

Colourways



T6591G / Beige



T6592G / Greige



T6593G / Coin



T6594G / Camel



T6595G / Fossil



T6596G / Slate



T6597G / Charcoal



T6598G / Navy



Product Name : T659G Balletic

Face Yarn : nexlon™ Standard + Prisma Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : Hi / Mid / Lo Loop with Tip-Shear Finish

Pile Height : 7.0 / 5.0 / 3.0 mm

Tile Size : 500 mm x 500 mm

Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)

Standard Backing : RECYCLED TUNTEX Commercial DuraBACK

Foot Traffic : Moderate

Stain Resistance : StainShield Treatment: **stainShield**

Soil Resistance : Soil Guard Treatment: **SOIL GUARD**




Quarter-Turn Ashlar Brick




T859G
Melrose Ave.



Colourways



Product Name : T859G Melrose Ave.
Face Yarn : Antron® Lumina™ Solution Dyed Type 6,8 Nylon
Dye Method : Solution Dyed
Construction : Hi / Mid / Lo Loop
Pile Height : 5.5 / 5.0 / 3.8 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 kV (GB/T 18044-2008)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : DuraTech® soil resistance treatment



T8591G+T8596G

The image is a computer generated file and may not exactly represent actual installation appearance and fit. Adams.



T8651G+T8657G
+T8659G+T8655G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

Architecture is the spirit of place. — Norberg Schultz




Colourways

| | | | |
|--|--|--|---|
|  |  |  |  |
| T8651G / Beige Colored <small>• irregular color lines (intergrated)</small> | T8659G / Beige | T8652G / Dove | T8653G / Dove Colored <small>• irregular color lines (intergrated)</small> |
|  |  |  |  |
| T8657G / Charcoal | T8658G / Charcoal Colored <small>• irregular color lines (intergrated)</small> | T86510G / Pewter | T86511G / Pewter Colored <small>• irregular color lines (intergrated)</small> |
|  |  |  | |
| T8654G / Ash | T8655G / Slate | T8656G / Night Sky | |

 **T865G**

Over the Rainbow



| | | |
|---|---|---|
|  |  |  |
| Quarter-Turn | Ashlar | Brick |

Product Name : T865G Over the Rainbow
Face Yarn : Antron® Lumina™ Solution Dyed Type 6,8 Nylon
Dye Method : Solution Dyed
Construction : Hi / Mid / Lo Loop
Pile Height : 5.0 / 4.0 / 2.5 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 kV (GB/T 18044-2008)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : DuraTech® soil resistance treatment



T8651G+T8659G+T8667G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



T866G Cheer-up

Colourways



T8661G / Beige



T8662G / Beige Colored



T8663G / Greige



T8664G / Moss



T8665G / Iron



T8666G / Iron Colored



T8667G / Brick



T8668G / Ocean Colored



T8669G / Pewter



T86610G / Pewter Colored



Product Name : T866G Cheer-up

Face Yarn : Antron® Lumina™ Solution Dyed Type 6,6 Nylon

Dye Method : Solution Dyed

Construction : Hi / Mid / Lo Loop

Pile Height : 5.0 / 4.0 / 3.0 mm


Tile Size : 500 mm x 500 mm

Electrostatic Propensity : ≤3.5 kV (GB/T 18044-2006)

Standard Backing : RECYCLED TUNTEX Commercial Duraback

Foot Traffic : Heavy

Stain Resistance : DuraTech® soil resistance treatment



Quarter-Turn Ashlar Brick



T867G
Visual Art

Colourways




T8671G / Beige T8672G / Fawn T8673G / Ash



T8674G / Charcoal T8675G / Navy T8676G / Rose Wood



Product Name : T867G Visual Art
Face Yarn : Antron® Lumina™ Solution Dyed Type 6,8 Nylon
Dye Method : Solution Dyed
Construction : Hi / Mid / Lo Loop
Pile Height : 5.5 / 4.5 / 3.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 kV (GB/T 18044-2008)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : DuraTech® soil resistance treatment






T868G Oriental Express

Colourways



Product Name : T868G Oriental Express
Face Yarn : Antron® Lumina™ Solution Dyed Type 6,8 Nylon
Dye Method : Solution Dyed
Construction : Hi / Mid / Lo Loop
Pile Height : 5,5 / 4,5 / 3,0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3,5 kV (GB/T 18044-2006)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : DuraTech® soil resistance treatment





T8674G+T8695G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



T869G Cloud Nine

Colourways



T8691G / Beige



T8692G / Ash



T8693G / Olive



T8694G / Charcoal



T8695G / Navy



T8696G / Brick



Product Name : T869G Cloud Nine

Face Yarn : Antron® Lumina™ Solution Dyed Type 6,8 Nylon

Dye Method : Solution Dyed

Construction : Hi / Mid / Lo Loop

Pile Height : 5.0 / 4.0 / 3.0 mm

Tile Size : 500 mm x 500 mm

Electrostatic Propensity : ≤3.5 kV (GB/T 18044-2006)

Standard Backing : RECYCLED TUNTEX Commercial Duraback

Foot Traffic : Heavy

Stain Resistance : DuraTech® soil resistance treatment




Quarter-Turn Ashlar Brick




T870G Cubical Vol.2



Colourways



Product Name : T870G Cubical Vol.2
Face Yarn : Antron® Lumina™ Solution Dyed Type 6,8 Nylon
Dye Method : Solution Dyed
Construction : Multi Hi / Lo Loop
Pile Height : 5.0 ~ 3.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 kV (GB/T 18044-2008)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : DuraTech® soil resistance treatment





T87511G+T87501G+T87510G+T87508G

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

 **T875G**

Natural Connection



Colourways

* Images below are enlarged and represent a section of a full tile only.



T87501G / Cloud



T87502G / Coin



T87503G / Sand



T87504G / Coffee



T87505G / Ash



T87506G / Orange



T87507G / Cherry



T87508G / Charcoal



T87509G / Brick



T87510G / Cerulean



T87511G / Ocean

Product Name : T875G Natural Connection

Face Yarn : Antron® Lumina™ Solution Dyed Type 6,8 Nylon

Dye Method : Solution Dyed

Construction : Loop

Pile Height : 4,5 mm

Tile Size : 500 mm x 500 mm

Electrostatic Propensity : ≤3,5 kV (GB/T 18044-2008)

Standard Backing : RECYCLED TUNTEX Commercial Duraback

Foot Traffic : Heavy

Stain Resistance : DuraTech® soil resistance treatment



Quarter-Turn Ashlar Brick



T876G Herringbone




Colourways

* Images below are enlarged and represent a section of a full tile only.

| | | | | |
|---|---|---|---|---|
|  |  |  | | |
| T87601G / Cloud | T87602G / Coin | T87603G / Sand | | |
|  |  |  | | |
| T87604G / Coffee | T87605G / Ash | T87606G / Orange | | |
|  |  |  |  |  |
| T87607G / Cherry | T87608G / Charcoal | T87609G / Brick | T87610G / Cerulean | T87611G / Ocean |

Product Name : T876G Herringbone
Face Yarn : Antron® Lumina™ Solution Dyed Type 6,8 Nylon
Dye Method : Solution Dyed
Construction : Hi / Lo Loop
Pile Height : 5.0 / 3.5 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : DuraTech® soil resistance treatment





T877G Fontainebleau




Colourways

* Images below are enlarged and represent a section of a full tile only.

| | | | | |
|---|---|---|---|---|
|  |  |  | | |
| T87701G / Cloud | T87702G / Coin | T87703G / Sand | | |
|  |  |  | | |
| T87704G / Coffee | T87705G / Ash | T87706G / Orange | | |
|  |  |  |  |  |
| T87707G / Cherry | T87708G / Charcoal | T87709G / Brick | T87710G / Cerulean | T87711G / Ocean |

Product Name : T877G Fontainebleau
Face Yarn : Antron® Lumina™ Solution Dyed Type 6,8 Nylon
Dye Method : Solution Dyed
Construction : Hi / Lo Loop with Tip-Shear Finish
Pile Height : 5.0 / 3.5 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 kV (GB/T 18044-2008)
Standard Backing : RECYCLED TUNTEX Commercial Duraback
Foot Traffic : Moderate
Stain Resistance : DuraTech® soil resistance treatment





Classic Collections and Colorings available in a wide range of finishes

Classic Collections

Timeless designs
and colorings;
Consistency
refined to
specification

CLASSIC



T10101+T10117+T10123

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.


T101 Mineral

Colourways

• Containing nexlon™ Quartz Yarn • Images below are enlarged and represent a section of a full tile only



Product Name : T101 Mineral
Face Yarn : nexlon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed **Construction :** Loop
Tile Size : 500 mm x 500 mm **Pile Height :** 4.0 mm **Foot Traffic :** Heavy
Electrostatic Propensity : ≤3.5 kV (IGBT 18044-2006)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Stain Resistance : StainShield Treatment: *stainShield*
Soil Resistance : Soil Guard Treatment: *SOIL GUARD*



CLASSIC



T10103+T10126+T10127+T10129+T10130

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T101+ Mineral Plus

Colourways

• Containing nexlon™ Quartz Yarn
• Images below are enlarged and represent a section of a full tile only.



T10125 / Lime



T10126 / Pistachio



T10127 / Aegean



T10128 / Orange



T10129 / Ginger



T10130 / Cherry




T10131 / Mustard



T10107+T10108+T10125+T10129

Product Name : T101+ Mineral Plus
Face Yarn : nexlon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Loop
Pile Height : 4.0 mm
Tile Size : 600 mm x 600 mm
Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : Stainshield Treatment: **stainshield**
Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Quarter-Turn Back




T106 Light Chaser

Colourways

• Containing nexlon™ Quartz Yarn
• Images below are enlarged and represent a section of a full tile only.



Product Name : T106 Light Chaser
Face Yarn : nexlon™ Standard + Quartz + Circular Premium Solution Dyed Nylon with RECYCLED Content, Stain and Soil Resist Technology
Dye Method : Solution Dyed
Construction : Multi Hi / Lo Loop
Pile Height : 5.5 – 8.0 mm
Tile Size : 600 mm x 600 mm
Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : Stainshield Treatment: **stainshield**
Soil Resistance : Soil Guard Treatment: **SOIL GUARD**






T108 ReGenerate

Colourways

* Images below are enlarged and represent a section of a full tile only.



Product Name : T108 ReGenerate
Pile Fibre : nexton™ Standard + Circular Premium Solution Dyed Nylon with RECYCLED Content, Stain and Soil Resist Technology
Dye Method : Solution Dyed **Construction :** Hi / Mid / Lo Loop
Pile Height : 5.0 / 4.5 / 3.0 mm **Tile Size :** 500 mm x 500 mm **Foot Traffic :** Heavy
Electrostatic Propensity : <=3.5 KV (GB/T 18044-2006)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Stain Resistance : StainShield Treatment: **stainShield**
Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



T10806+T10805+T10827+T10822
 +T10819+T10802+T10812+T10821

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



The mystery of life is inside of art. —Oscar Wilde

T600 On-track

Colourways

* T600 is complementary to T6000 series.



T6001 / Beige




T6002 / Fawn



T6003 / Caramel



T6004 / Dove



T6005 / Granite



T6006 / Charcoal



T6007 / Cerulean



T6008 / Mulberry



Product Name : T600 On-track

Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : Hi / Lo Loop

Pile Height : 4.0 / 3.5 mm

Tile Size : 600 mm x 600 mm


Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Heavy

Stain Resistance : Stainshield Treatment: **stainshield**

Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Quarter-Turn Ashlar Brick



T6009


On-track Color

Colourways

* T6009 is complementary to T600 series.




T60091 / Beige Colored




T60094 / Dove Colored



T60095 / Granite Colored



T60096 / Charcoal Colored



Quarter-Turn Ashlar Brick


Product Name : T6009 On-track Color
Face Yarn : nexlon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Hi / Lo Loop
Stain Resistance : Stainshield Treatment: *stainShield*
Soil Resistance : Soil Guard Treatment: *SOIL GUARD*

Pile Height : 4.0 / 3.5 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Tile Size : 500 mm × 500 mm
Foot Traffic : Heavy



Art is the mirror of life. —Toncto

T602 Grapevine



Colourways



T6021 / Beige

T6022 / Bronze

T6023 / Brown

T6024 / Ash

T6025 / Charcoal

T6026 / Navy

Product Name : T602 Grapevine

Face Yarn : nexlon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : High Cut Low Loop

Pile Height : 7.0 / 4.0 mm

Tile Size : 609 mm x 609 mm


Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Moderate

Stain Resistance : Stainshield Treatment: **stainshield**

Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Quarter-Turn Ashlar Brick

Ravine



T603 Sunset Boulevard



Colourways



T6031 / Beige



T6032 / Bronze



T6033 / Brown



T6034 / Ash



T6035 / Charcoal



T6036 / Navy

Product Name : T603 Sunset Boulevard

Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : High Cut Low Loop

Pile Height : 7.0 / 4.0 mm

Tile Size : 609 mm x 609 mm


Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Moderate

Stain Resistance : Stainshield Treatment: **stainshield**

Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Ashlar

Brick



Light makes the design. —I. M. Pei

T605 Vision



Colourways



T6051 / Oak



T6052 / Anchor



T6053 / Walnut



T6054 / Wine



T6055 / Chocolate



T6056 / Charcoal

Product Name : T605 Vision

Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : High Cut Low Loop

Pile Height : 7.5 / 4.0 mm

Tile Size : 609 mm x 609 mm


Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Moderate

Stain Resistance : Stainshield Treatment: **stainshield**

Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Quarter-Turn Ashlar Brick



T606 Illusion

Colourways




T6061 / Oak



T6062 / Anchor



T6063 / Walnut



T6064 / Wine




T6065 / Chocolate



T6066 / Charcoal



Product Name : T606 Illusion
Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : High Cut Low Loop
Pile Height : 7.5 / 4.0 mm
Tile Size : 609 mm x 609 mm
Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Moderate
Stain Resistance : Stainshield Treatment: **stainShield**
Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Quarter-Turn Ashlar Brick



T608 Urban Forest

Colourways



T6081 / Fawn



T6082 / Cedar



T6083 / Anchor



T6084 / Currant



T6085 / Charcoal

Product Name : T608 Urban Forest

Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : High Cut Low Loop

Pile Height : 7.5 / 7.0 / 3.5 mm

Tile Size : 609 mm x 609 mm


Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Moderate

Stain Resistance : Stainshield Treatment: **stainshield**

Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Ashlar

Brick



T6091-T6092

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T609 Twill

Colourways



T6091 / Beige



T6092 / Mustard



T6093 / Brown



T6094 / Turquoise Green



T6095 / Dark Red



T6096 / Charcoal



T6097 / Blue Grey



Product Name : T609 Twill

Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : High Cut Low Loop

Pile Height : 7.0 / 6.0 / 4.5 mm

Tile Size : 609 mm x 609 mm


Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Moderate

Stain Resistance : Stainshield Treatment: **stainshield**

Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Ashlar

Brick



T613 Birdie



Colourways



T6131 / Charcoal



T6132 / Taupe




T6133 / Ash



T6134 / Cedar

Product Name : T613 Birdie
Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Hi / Mid / Lo Loop
Pile Height : 5.0 / 4.5 / 3.5 mm
Tile Size : 600 mm x 600 mm
Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : Stainshield Treatment: **stainshield**
Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Quarter-Turn Ashlar Brick



T616 Fast Lane

Colourways



T6161 / Fawn



T6162 / Olive



T6163 / Breen



T6164 / Camel



T6165 / Chocolate



T6166 / Shadow



T6167 / Spruce



T6168 / Charcoal

Product Name : T616 Fast Lane

Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : Hi / Mid / Lo Loop

Pile Height : 4.0 / 3.5 / 3.0 mm

Tile Size : 600 mm x 600 mm

Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Heavy

Stain Resistance : Stainshield Treatment: **stainshield**

Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Quarter-Turn Ashlar Brick



T617


Criss-cross




Colourways



Product Name : T617 Criss-cross
Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Hi / Mid / Lo Loop
Pile Height : 6.0 / 4.5 / 3.0 mm
Tile Size : 600 mm x 600 mm
Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : Stainshield Treatment: **stainShield**
Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



T61729, T6173
 The image is computer generated and may not exactly represent actual installation appearance and tile seams




T620 Vane

Colourways




Product Name : T620 Vane
Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Hi / Mid / Lo Loop with Tip-shear Finish
Pile Height : 6.5 / 4.5 / 3.5 mm
Tile Size : 600 mm x 600 mm
Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Moderate
Stain Resistance : Stainshield Treatment: **stainshield**
Soil Resistance : Soil Guard Treatment: **SOIL GUARD**





T636 Dust Off


Colourways




Features of scraping yarn

Designed to look stylish yet functional, incorporating state of the art. Scraper Fibers which act to quickly remove dirt and dust before they enter the building. Helping to reduce maintenance costs and extend the life of all other flooring.

Performance Comparison (Inhouse Testing Result)



- Product Name :** T636 Dust Off
- Face Yarn :** naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
- Dye Method :** Solution Dyed
- Construction :** Hi / Lo Loop
- Pile Height :** 4.5 / 3.5 mm
- Tile Size :** 600 mm x 600 mm
- Electrostatic Propensity :** ≤ 3.5 KV (GB/T 18044-2008)
- Standard Backing :** Recyclable TUNTEX Commercial Duraback
- Foot Traffic :** Heavy
- Stain Resistance :** Stainshield Treatment: **stainShield**
- Soil Resistance :** Soil Guard Treatment: **SOIL GUARD**





T638 Ground Builder




Colourways

• Images below are enlarged and represent a section of a full tile only.



T6381 / Tortilla



T6382 / Fossil



T6383 / Latte



T6384 / Greige



T6385 / Aegean



T6386 / Spruce



T6387 / Shadow



T6388 / Charcoal

Product Name : T638 Ground Builder

Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : Loop

Pile Height : 4.0 mm

Tile Size : 600 mm x 600 mm


Electrostatic Propensity : $\leq 3.5\text{ KV}$ (GB/T 18044-2008)

Standard Backing : Recyclable TUNTEX Commercial Duraback


Foot Traffic : Heavy

Stain Resistance : Stainshield Treatment: **stainshield**

Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Quarter-Turn Ashlar Brick



T650

Prologue in Graphic



Colourways




T6501 / Tortilla T6502 / Fossil T6503 / Brunette



T6504 / Mocha T6505 / Shadow T6506 / Lapis T6507 / Christmas

Product Name : T650 Prologue in Graphic
Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Hi / Mid / Lo Loop
Pile Height : 5.0 / 4.5 / 3.5 mm
Tile Size : 609 mm x 609 mm
Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : Stainshield Treatment: **stainshield**
Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Quarter-Turn Ashlar Brick




T651 Plots

Colourways



Product Name : T651 Plots
Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Hi / Mid / Lo Loop
Pile Height : 5.0 / 4.5 / 3.5 mm
Tile Size : 609 mm x 609 mm
Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : Stainshield Treatment: **stainshield**
Soil Resistance : Soil Guard Treatment: **SOIL GUARD**






T652 The Globe



Colourways



Product Name : T652 The Globe
Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Hi / Mid / Lo Loop
Pile Height : 6.0 / 4.5 / 3.0 mm
Tile Size : 600 mm x 600 mm
Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : Stainshield Treatment: **stainShield**
Soil Resistance : Soil Guard Treatment: **SOIL GUARD**





T6533

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



T6531 + T6532

T653 Suburb



T6531 / Lime

T6532 / Olive


T6533 / Coffee

T6534 / Brick

T6535 / Peacock

T6536 / Charcoal

Product Name : T653 Suburb
Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Hi / Mid / Lo Loop
Pile Height : 5.0 / 4.0 / 3.0 mm
Tile Size : 609 mm x 609 mm
Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : Stainshield Treatment: **stainSHIELD**
Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Quarter-Turn Brick

CLASSIC



T6552+T6555

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

T655 Pigment



Colourways



T6551 / Fawn



T6552 / Fossil



T6553 / Ash



T6554 / Anchor




T6555 / Slate



T6556 / Charcoal

Product Name : T655 Pigment
Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Hi / Mid / Lo Loop
Pile Height : 6.0 / 5.3 / 3.0 mm
Tile Size : 600 mm x 600 mm
Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : Stainshield Treatment: **stainShield**
Soil Resistance : Soil Guard Treatment: **SOIL GUARD**




Quarter-Turn Ashlar Brick

CLASSIC




T656 Inherited

Colourways




Product Name : T656 Inherited
Face Yarn : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Hi / Mid / Lo Loop
Pile Height : 6.5 / 5.0 / 3.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : Stainshield Treatment: **stainShield**
Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



T660 Classic Track

Colourways

* T660 is complementary to T661 series.



T6601 / Cloud



T6602 / Coin



T6603 / Dove



T6604 / Granite



T6605 / Lead



T6606 / Charcoal



T6607 / Black



Quarter-Turn Ashlar Brick

Product Name : T660 Classic Track

Pile Fibre : naxion™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : Hi / Lo Loop

Pile Height : 4.0 / 3.5 mm

Tile Size : 500 mm x 500 mm

Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Heavy

Stain Resistance : Stainshield Treatment: **stainShield**

Soil Resistance : Soil Guard Treatment: **SOIL GUARD**

T6601+T6602+T6603+T6604+T6605
T6606+T6607

The image is computer generated file and may not exactly represent actual installation appearance and tile sizes.



T6610-T6692

This image is computer-generated file and may not exactly represent actual installation appearance and tile seams.

T661 Track Line

Colourways

- T661 is complementary to T660 series.
- Each base color (T6611-6617) has four combination of bright color lines but they will be packed randomly pack in random.



T6611 / Cloud Colored T6612 / Coin Colored T6613 / Dove Colored T6614 / Granite Colored T6615 / Lead Colored T6616 / Charcoal Colored T6617 / Black Colored

Style : T661 Track Line

Pile Fibre : nexlon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology

Dye Method : Solution Dyed

Construction : Hi / Lo Loop

Pile Height : 4.0 / 3.5 mm

Tile Size : 500 mm x 500 mm


Electrostatic Propensity : ≤ 3.5 KV (GB/T 18044-2008)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Heavy

Stain Resistance : Stainshield Treatment: **stainShield**

Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



Quarter-Turn Ashlar Brick




T665 Granite

Colourways



Product Name : T665 Granite
Pile Fibre : nexlon™ Premium Solution Dyed Nylon with Stain & Soil Resist Technology
Dye Method : Solution Dyed
Construction : Multi Hi / Lo Loop
Pile Height : 5.5 – 3.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : Stainshield Treatment: **stainShield**
Soil Resistance : Soil Guard Treatment: **SOIL GUARD**



T66504
 The image is computer generated file and may not exactly represent actual installation appearance and tile pattern.



T858 Meteor Dr.



Colourways




T8581 / Greige



T8582 / Fawn



T8583 / Fossil



T8584 / Spruce




T8585 / Charcoal



T8586 / Shadow

Product Name : T858 Meteor Dr.
Pile Fibre : Antron® Lumena™ Solution Dyed Type 6,6 Nylon
Dye Method : Solution Dyed
Construction : Hi / Lo Loop
Pile Height : 4.5 / 3.5 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : DuraTech® soil resistance treatment





T8603

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.

Expressing that nature is the beauty of art. — Spencer Churchill

T860 Checkmate



Colourways



T8601 / Peanut



T8602 / Cedar



T8603 / Spruce



T8604 / Slate



T8605 / Anchor



T8606 / Shadow



Quarter-Turn Ashlar Brick

Product Name : T860 Checkmate

Face Yarn : Antron® Lumena™ Solution Dyed Type 6,6 Nylon

Dye Method : Solution Dyed

Construction : Hi / Mid / Lo Loop

Pile Height : 6.5 / 4.0 / 3.0 mm

Tile Size : 500 mm x 500 mm

Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Heavy

Stain Resistance : DuraTech® soil resistance treatment



Smooth



T862 Destination

Colourways



T8621 / Peanut



T8622 / Coin



T8623 / Mocha



T8624 / Ash




T8625 / Spruce



T8626 / Currant

Product Name : T862 Destination
Face Yarn : Antron® Lumena™ Solution Dyed Type 6,6 Nylon
Dye Method : Solution Dyed
Construction : Hi / Mid / Lo Loop
Pile Height : 5.5 / 4.5 / 3.0 mm
Tile Size : 609 mm x 609 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : DuraTech® soil resistance treatment



Quarter-Turn Ashlar Brick



T872 Summer Breeze

Colourways



T8721 / Tortilla




T8722 / Slate



T8723 / Brick



T8724 / Wine



T8725 / Aegean



T8726 / Charcoal



Product Name : T872 Summer Breeze

Face Yarn : Antron® Lumena™ Solution Dyed Type 6,6 Nylon

Dye Method : Solution Dyed

Construction : Multi Hi / Lo Loop

Pile Height : 5.5 – 3.0 mm


Tile Size : 609 mm x 609 mm

Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Heavy

Stain Resistance : DuraTech® soil resistance treatment



Ashlar

Brick

T878 Cascade



Colourways



T8781 / Fossil



T8786 / Fossil Colored
• Irregular color lines integrated



T8782 / Shadow



T8788 / Shadow Colored
• Irregular color lines integrated



T8784 / Charcoal




T87810 / Charcoal Colored
• Irregular color lines integrated




T8785 / Oat Colored
• Irregular color lines integrated



T8787 / Anchor Colored
• Irregular color lines integrated



T8783 / Pebble



T8789 / Slate Colored
• Irregular color lines integrated

Product Name : T878 Cascade

Face Yarn : Antron® Lumena™ Solution Dyed Type 6,6 Nylon

Dye Method : Solution Dyed

Construction : Hi / Lo Loop

Pile Height : 4.5 / 3.5 mm


Tile Size : 500 mm x 500 mm

Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)

Standard Backing : Recyclable TUNTEX Commercial Duraback

Foot Traffic : Heavy

Stain Resistance : DuraTech® soil resistance treatment



Ashlar

Brick



Creative is just back to nature. —Gaudi

T885 Edd Tide




Colourways



T8851 / Coffee T8852 / Walnut T8853 / Stone T8854 / Mocha T8855 / Moss T8856 / Spruce

Product Name : T885 Edd Tide
Face Yarn : Antron® Lumena™ Solution Dyed Type 6,6 Nylon
Dye Method : Solution Dyed
Construction : Hi / Lo Loop
Pile Height : 5.0 / 3.0 mm
Tile Size : 609 mm x 609 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable TUNTEX Commercial Duraback
Foot Traffic : Heavy
Stain Resistance : DuraTech® soil resistance treatment



Quarter-Turn Ashlar Brick

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



T9172+T9173

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.



T917 WillowWeave

Colourways



T9171 / Oyster



T9172 / Hazel



T9173 / Fawn



T9174 / Walnut



T9175 / Spruce




T9176 / Fossil



T9177 / Aegean



T9178 / Charcoal



Quarter-Turn Ashlar Brick

Product Name : T917 WillowWeave

Face Yarn : Antron® Lumena™ Solution Dyed Type 6,6 Nylon

Dye Method : Solution Dyed

Construction : Hi / Mid / Lo Loop

Pile Height : 5.5 / 4.5 / 3.0 mm

Tile Size : 500 mm x 500 mm

Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)

Standard Backing : Recyclable Turtex Commercial Duraback

Foot Traffic : Heavy

Stain Resistance : DuraTech® soil resistance treatment




TA1204 Line Up



Colourways



Product Name : TA1204 Line Up
Face Yarn : Universal Fiber Nylon 6,6
Dye Method : Solution Dyed
Construction : Hi / Lo Loop
Pile Height : 5.0 / 3.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable Turtax Commercial Duraback
Foot Traffic : Heavy





TA1206 Highlights

Colourways

* Images below to only represent a section of a full tile.



TA12061 / Lead



TA12062 / Coffee



TA12063 / Charcoal



TA12064 / Olive



TA12065 / Orange



TA12066 / Navy



TA12067 / Lime



TA12068 / Fiery



TA12069 / Ash



TA120610 / Black



TA120611 / Gold



TA120612 / Violet



TA120614 / Electric Blue



TA120615 / Hot Pink



Quarter-Turn Ashlar Brick

Product Name : TA1206 Highlights

Face Yarn : Universal Fiber Nylon 6,6

Dye Method : Solution Dyed

Construction : Hi / Lo Loop

Pile Height : 4.5 / 3.0 mm

Tile Size : 600 mm x 600 mm

Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)

Standard Backing : Recyclable Turtax Commercial Duraback

Foot Traffic : Heavy

TA12061+TA12067+TA120612
+TA120614+TA120615

The image is computer generated file and may not exactly represent actual installation appearance and tile seams.




TA1207 Fragment



Colourways



Product Name : TA1207 Fragment
Face Yarn : Universal Fiber Nylon 6,6
Dye Method : Solution Dyed
Construction : Loop
Pile Height : 4.0 mm
Tile Size : 500 mm x 500 mm
Electrostatic Propensity : ≤3.5 KV (GB/T 18044-2008)
Standard Backing : Recyclable Turtax Commercial Duraback
Foot Traffic : Heavy



Project Reference

China Quality Certification centre

Sanofi China C&A (China) Co.,Ltd.

TSINGSHAN HOLDING GROUP

Aruba Networks Technology (China) Co., Ltd China Mobile Grand Thronton Jakarta

Johnson Control UNIBUIT KONE ELEVATORS, India

GENTING MALAYSIA EVOC Intelligent Technology Company Limited.

DELL (China) Co., Ltd. Cisco Systems, Inc. BUPA Private Healthcare, Saudi Arabia

Terranum Head Quarters-Bogotá, Colombia

DELL (Hong Kong) Borneo Convention Centre (Malaysia)

Guangzhou No.1 Construction Engineering Building Dell Philippines

INSEAD University 361 SINGAPORE Gide Loyrette Nouel Beijing Office (France)

Hong Kong University Baidu Master Contracts Singapore

SOUTHEAST UNIVERSITY HSBC United Overseas Bank

Singapore Indoor Stadium CHINA HUANENG GROUP zhongnan Group Bank of Shanghai

KONE ELEVATORS, India Across Office Solution

The American Chamber of Commerce in Shanghai 2010 Shanghai World Expo

XI'AN JIAOTONG-LIVERPOOL UNIVERSITY Sleemon Beijing Snsoft Technology Co.,Ltd.

ABB China International Petroleum Investment Company

Office Express (Winland International) Business Center JT&N Law Firm

Guizhou Bigdata Exhibition Center Dell Bangkok Symphony Teleca

Renault Jaguar Group China Downtown Properties, Limited

Wheelock Properties (Singapore) Limited OCBC Bank Johnsonsbaby Company

Wall Street English Lenovo China China Petroleum & Chemical Co., Ltd

Koch Industries, Inc. Standard Chartered EVOC GROUP Worley Parsons Ltd

Ericsson (China) Communications Co.LTD MONTAGUT Synaptic Medical

RCBC Realty Corporation (Philippines) Qualys Inc. Schlumberger Jakarta

University of Nottingham LORD Sebrina Holdings AngloAmerican

China Automobile Trading Co.,Ltd Dutch Lady Vietnam, Ho Chi Ming

FAST RETAILING China Investment Development Co., Ltd

360 Beijing Qihoo Technology Co., Ltd. Towngas

Changi Airport Group (Singapore) Pte. Ltd China Comservice

MediaTek (Beijing) Inc HSBC Bank (Vietnam) Ltd. ANSYS-China

MODERN FORTUNE GROUP Sunning Commerce Group Co., Ltd.

BASF (China) Co., Ltd. Sonata Software Ltd. Tencent China

China Jingu International Trust Co., Ltd. Guangdong Cable Corporation Limited

Synopsys Sterling Beck, Mumbai India Air Products and Chemicals, Inc.

Postal Savings Bank of China Guangzhou Vocational School of Turism&Business

Elekta BMEI (Beijing) Medical Equipment Co., Ltd. COMAC Norton Rose Group


Project Reference





Mediatek

TA1206 ▶ Page 160-161



Johanson Control

T870G ▶ Page 80-91



Singapore: INSEAD University

T707G ▶ Page 10-17



GuangDong KeTing Investment Co., Ltd. T605 ▶ Page 106-107



Propnex Realty T899G ▶ Page 64-65



Worley Parsons Saudi Arabia

T865G ▶ Page 66-67
TA1206 ▶ Page 160-161



Wheelock Properties Singapore

T796G ▶ Page 30-31



Sonata Software

T867G ▶ Page 72-73



Symphony Mirca

TA1206 ▶ Page 160-161 168/169



Baidu Shenzhen Marketing Experience Center T101 ▶ Page 90-91

Suzhou Xin Building Materials Co., Ltd.

T709G ▶ Page 20-21
TB59G ▶ Page 64-66

Dell Computer Shanghai Office

T707G ▶ Page 16-17

LUSO INTERNATIONAL BANKING LIMITED T708G ▶ Page 18-19



Nokia

T866G ▶ Page 70-71

sichuan airlines center

T106 ▶ Page 96-97

Chengdu International Finance Square T3

T617 ▶ Page 118-119 170-171



Baidu Shenzhen Marketing Experience Center

T600 ▶ Page 88-89



Hongkong Ding Sheng Group

T602 ▶ Page 102-103
T668G ▶ Page 74-75



Nanjiang Design & Build Software Accelerator Project Company

T617 ▶ Page 118-119



Shanghai Shift Electrics Co., Ltd.

T101 ▶ Page 90-91
TA1206 ▶ Page 160-161



Burton Science and Technology Park Vanke Yuncheng

T797G ▶ Page 32-35
T707G ▶ Page 16-17



Guizhou Bigdata Exhibition Center

T796G ▶ Page 33-31



EXPRESS

T668G ▶ Page 74-75



Suning Headquarter

T668G ▶ Page 74-75
T101 ▶ Page 90-91

1722173



Tencent

T860 ▶ Page 146-147

AngloAmerican

T805 ▶ Page 106-107

Isetan Shanghai

TA1206 ▶ Page 160-161

DELL | Hongkong |

T600 ▶ Page 98-99
TA1207 ▶ Page 162-163



Belden

TA1206 ▶ Page 160-161

Nanjing Software Park

T797G ▶ Page 32-33

China Petroleum & Chemical Co., Ltd. T862 ▶ Page 148-149 174/175



Harvest

TA1206 ▶ Page 160-161



OCBC Bank

T803 ▶ Page 104-105



Harvest

T600 ▶ Page 88-89



Asiainfo Linkage

T870G ▶ Page 80-81



China Citic Bank

TA1206 ▶ Page 160-161



DELL(Guangzhou)

T868G ▶ Page 74-76

TA1206 ▶ Page 160-161

176/177



Sleerom Xilinmest Furniture Co., Ltd. T860 ▶ Page 146-147



LORD T808G ▶ Page 50-51



Quick Heal Technologies, Pune, India T865G ▶ Page 66-67
TA1206 ▶ Page 160-161



ULTRAONE (Guangzhou) TA1206 ▶ Page 160-161



Sanofi China TA1206 ▶ Page 160-161



Guangdong Cable Corporation Limited T885 ▶ Page 154-155



The American Chamber of Commerce in Shanghai T802 ▶ Page 102-103



Japanese Secondary Schools Singapore T712G ▶ Page 28-29 178/179



JT&N Law Firm

T613 ▶ Page 114-115



China Jingu International Trust Co., Ltd.

T605 ▶ Page 106-107



Baidu Shenzhen Marketing Experience Center

T800 ▶ Page 98-99



C&A (China) Co.,Ltd.

T606 ▶ Page 108-109



DELL (China) Co.,Ltd

T602 ▶ Page 102-103



360 Beijing Qihoo Technology Co., Ltd.

T885 ▶ Page 184-185
TA1208 ▶ Page 188-189



Resorts World Genting

T870G ▶ Page 80-81



Suning Appliance of China

TA1204 ▶ Page 158-159 180/181



Gide Loyrette Nouel Beijing Office (France)

T600 ▶ Page 08-09



Lenovo Building (Shanghai)

T603 ▶ Page 104-105



China Resources Land Limited

T6009 ▶ Page 100-101



geekthings

T709G ▶ Page 20-21
T653 ▶ Page 132-133



United Overseas Bank

T885 ▶ Page 154-155



Renault

T600 ▶ Page 08-09



China Citic Bank

T886G ▶ Page 70-71



Pera Global

T870G ▶ Page 80-81 152/153

PROJECT REFERENCE



Quality Stylish
Environmental Ethical
Service
Trust